




请从适用的内径、外径、长度中选择零件号
(例)内径25mm、外径33mm、长度20mm的情况下


NTB-80 - 25320

请指定上述零件号


运动方向



对偶轴




结合部※ 轴套



※结合部对于轴旋转没有影响，但尽量避免安装在负荷大的部位处压入。

∅d	∅D	壁厚 T	外径 ∅D	内径 ∅d	座孔 H7	轴径 f7	f ₁	f ₂	L -0.40							
									10	15	20	25	30	40	50	60
10	12	1 -0.025	12 +0.065 -0.030	10 +0.022 +0.000	10 -0.013 -0.028	12 +0.018	0.5	0.3	1010	1015	1020					
12	14		14 +0.065 -0.030	12 +0.027 +0.000	12 -0.016 -0.034	14 +0.018	0.5	0.3	1210	1215	1220					
14	16		16 +0.065 -0.030	14 +0.027 +0.000	14 -0.016 -0.034	16 +0.018	0.5	0.3	1410	1415	1420					
15	17		17 +0.065 -0.030	15 +0.027 +0.000	15 -0.016 -0.034	17 +0.018	0.5	0.3	1510	1515	1520					
16	18		18 +0.075 -0.035	16 +0.027 +0.000	16 -0.016 -0.034	18 +0.018	0.8	0.4	1610	1615	1620					
18	20		20 +0.075 -0.035	18 +0.033 +0.000	18 -0.016 -0.034	20 +0.021	0.8	0.4	1810	1815	1820	1825				
20	23	1.5 -0.030	23 +0.075 -0.035	20 +0.033 +0.000	20 -0.020 -0.041	23 +0.021	0.8	0.4	2010	2015	2020	2025				
22	25		25 +0.075 -0.035	22 +0.033 +0.000	22 -0.020 -0.041	25 +0.021	0.8	0.4	2210	2215	2220	2225				
24	27		27 +0.075 -0.035	24 +0.033 +0.000	24 -0.020 -0.041	27 +0.021	1.0	0.5	2410	2415	2420		2430			
25	28		28 +0.075 -0.035	25 +0.033 +0.000	25 -0.020 -0.041	28 +0.021	1.0	0.5		2515	2520	2525	2530			
26	30		30 +0.075 -0.035	26 +0.033 +0.000	26 -0.020 -0.041	30 +0.021	1.0	0.5		2615	2620	2625	2630			
28	32		32 +0.085 -0.045	28 +0.033 +0.000	28 -0.020 -0.041	32 +0.025	1.0	0.5		2815	2820	2825	2830	2840		
30	34	2 -0.035	34 +0.085 -0.045	30 +0.039 +0.000	30 -0.020 -0.041	34 +0.025	1.2	0.6		3015	3020	3025	3030	3040		
32	36		36 +0.085 -0.045	32 +0.039 +0.000	32 -0.025 -0.050	36 +0.025	1.2	0.6		3215	3220	3225	3230	3240		
35	39		39 +0.085 -0.045	35 +0.039 +0.000	35 -0.025 -0.050	39 +0.025	1.2	0.6			3520	3525	3530	3540	3550	
38	42		42 +0.085 -0.045	38 +0.039 +0.000	38 -0.025 -0.050	42 +0.025	1.2	0.6			3825	3825	3830	3840	3850	
40	44		44 +0.085 -0.045	40 +0.039 +0.000	40 -0.025 -0.050	44 +0.025	1.2	0.6			4020	4025	4030	4040	4050	
45	50		50 +0.085 -0.045	45 +0.039 +0.000	45 -0.025 -0.050	50 +0.025	1.5	1.0			4520	4525	4530	4540	4550	
50	55	2.5 -0.040	55 +0.100 -0.050	50 +0.039 +0.000	50 -0.025 -0.050	55 +0.030	1.5	1.0					5030	5040	5050	5060
55	60		60 +0.100 -0.050	55 +0.046 +0.000	55 -0.030 -0.060	60 +0.030	1.5	1.0					5530	5540	5550	5560
60	65		65 +0.100 -0.050	60 +0.046 +0.000	60 -0.030 -0.060	65 +0.030	1.5	1.0					6030	6040	6050	6060
65	70		70 +0.100 -0.050	65 +0.046 +0.000	65 -0.030 -0.060	70 +0.030	1.5	1.0					6530	6540	6550	6560

注：本公司可以按客户需求，生产非标产品。Note: we can produce as per your drawings.



a: 外径倒角(mm)

T	2.0	2.5
a	1.0	1.0

b: 内径倒角(mm)

T	2.0	2.5
b	C0.5	C0.5

ϕd	ϕD	壁厚 T	外径 ϕD	内径 ϕd	座孔 H7	轴径 f7	f_1	f_2	L -0.40					
									40	50	60	80	90	100
70	75	2.5 -0.040	75 $+0.100$ $+0.050$	70 $+0.046$ $+0.000$	70 $+0.030$	75 -0.030 -0.060	1.5	1.0	7040	7050	7060	7080		
75	80		80 $+0.100$ $+0.050$	75 $+0.046$ $+0.000$	75 $+0.035$	80 -0.030 -0.060	1.5	1.0	7540	7550	7560			
80	85		85 $+0.120$ $+0.070$	80 $+0.054$ $+0.000$	80 $+0.035$	85 -0.030 -0.060	1.5	1.0	8040	8050	8060	8080		
84	90	3 -0.045	90 $+0.120$ $+0.070$	84 $+0.054$ $+0.000$	90 $+0.035$	84 -0.036 -0.071	1.8	1.2	8440	8450	8460	8480		
89	95		95 $+0.120$ $+0.070$	89 $+0.054$ $+0.000$	95 $+0.035$	89 -0.036 -0.071	1.8	1.2	8940	8950	8960	8980		
94	100		100 $+0.120$ $+0.070$	94 $+0.054$ $+0.000$	100 $+0.035$	94 -0.036 -0.071	1.8	1.2		9450	9460	9480	9490	
99	105		105 $+0.120$ $+0.070$	99 $+0.054$ $+0.000$	105 $+0.035$	99 -0.036 -0.071	1.8	1.2		9950	9960	9980	9990	
104	110		110 $+0.120$ $+0.070$	104 $+0.054$ $+0.000$	110 $+0.035$	104 -0.036 -0.071	1.8	1.2		10450	10460	10480		
109	115		115 $+0.120$ $+0.070$	109 $+0.054$ $+0.000$	115 $+0.035$	109 -0.036 -0.071	1.8	1.2		10950	10960	10980		
114	120		120 $+0.120$ $+0.070$	114 $+0.054$ $+0.000$	120 $+0.040$	114 -0.036 -0.083	1.8	1.2		11450	11460	11480		
119	125		125 $+0.170$ $+0.100$	119 $+0.054$ $+0.000$	125 $+0.040$	119 -0.036 -0.083	1.8	1.2		11950	11960	11980		
123	130		130 $+0.170$ $+0.100$	123 $+0.054$ $+0.000$	130 $+0.040$	123 -0.043 -0.083	2	1.5		12350	12360	12380		123100
128	135		135 $+0.170$ $+0.100$	128 $+0.063$ $+0.000$	135 $+0.040$	128 -0.043 -0.083	2	1.5		12850	12860	12880		128100
133	140	140 $+0.170$ $+0.100$	133 $+0.063$ $+0.000$	140 $+0.040$	133 -0.043 -0.083	2	1.5		13350	13360	13380		133100	
138	145	145 $+0.170$ $+0.100$	138 $+0.063$ $+0.000$	145 $+0.040$	138 -0.043 -0.083	2	1.5			13860	13880		138100	
143	150	150 $+0.170$ $+0.100$	143 $+0.063$ $+0.000$	150 $+0.040$	143 -0.043 -0.083	2	1.5			14360	14380		143100	
148	155	155 $+0.170$ $+0.100$	148 $+0.063$ $+0.000$	155 $+0.040$	148 -0.043 -0.083	2	1.5			14860	14880	14890		
153	160	160 $+0.170$ $+0.100$	153 $+0.063$ $+0.000$	160 $+0.040$	153 -0.043 -0.083	2	1.5			15360	15380	15390		
158	165	165 $+0.170$ $+0.100$	158 $+0.063$ $+0.000$	165 $+0.040$	158 -0.043 -0.083	2	1.5			15860	15880		158100	
163	170	170 $+0.170$ $+0.100$	163 $+0.063$ $+0.000$	170 $+0.040$	163 -0.043 -0.083	2	1.5			16360	16380		163100	
168	175	175 $+0.170$ $+0.100$	168 $+0.063$ $+0.000$	175 $+0.046$	168 -0.043 -0.083	2	1.5			16860	16880		168100	
173	180	180 $+0.170$ $+0.100$	173 $+0.063$ $+0.000$	180 $+0.046$	173 -0.043 -0.083	2	1.5			17360	17380		173100	